

Si II

λ (Å)	E_l (cm ⁻¹)	g_l	f
1817.4510*	287.24	4	3.96E-04 ^a
1816.9280*	287.24	4	3.61E-03 ^a
1808.0130	0.00	2	3.97E-03 ^a
1533.4310*	287.24	4	1.29E-01 ^a
1526.7070	0.00	2	1.29E-01 ^a
1309.2760*	287.24	4	1.88E-01 ^a
1304.3700	0.00	2	1.89E-01 ^a
1265.0020*	287.24	4	1.18E-01 ^b
1264.7380*	287.24	4	1.06E+00 ^b
1260.4220	0.00	2	1.18E+00 ^b
1197.3940*	287.24	4	1.46E-01 ^b
1194.5000*	287.24	4	7.29E-01 ^b
1193.2900	0.00	2	5.84E-01 ^b
1190.4160	0.00	2	2.93E-01 ^b
1023.7002*	287.24	4	1.51E-02 ^b
1020.6989	0.00	2	1.51E-02 ^b
992.6956*	287.24	4	1.70E-02 ^b
992.6828*	287.24	4	1.53E-01 ^b
989.8731	0.00	2	1.71E-01 ^b

^a f -values are from Kurucz and Bell (1995).

^b f -values are from Werner.